




Диоды

SOD-123




Тип/Параметры	Pd, mW	Vr, V	Ir, μ A	Ifm, mA	Io, mA	Ir, μ A	Vr, V	Vf, V	If, mA	Trr, ns	Маркировка
1N4148W	350	75	10	300	150	1	75	1,25	150	4	T4
1N4448W	350	75	10	500	250	2,5	75	1,25	150	4	T5
1N5711W	250	70	10	15		0,2	50	1	15	1	SA
B0520LW	410	20	250		500	250	20	0,385	0,5A		SD
B0530W	410	30	130		500	130	30	0,43	0,5A		SE
B0540W	410	40	20		500	20	40	0,62	1A		SF
B5817W	450	20	1000		1000	1000	20	0,75	3A		SJ
B5818W	450	30	1000		1000	1000	30	0,875	3A		SK
B5819W	450	40	1000		1000	1000	40	0,9	3A		SL
BAT42W	200	30	10	200		0,5	25	0,65	50	5	S7
BAT43W	200	30	10	200		0,5	25	0,45	15	5	S8
BAT54W	250	30	100	100		2	25	1000	100	5	L9
BAV16W	400	75	10	300	150	1	75	1,25	150	4	T6
BAV19W	250	100	10	400	200	0,1	100	1,25	200	50	A8
BAV20W	250	150	10	400	200	0,1	150	1,25	200	50	T2
BAV21W	250	200	10	400	200	0,1	200	1,25	200	50	T3
SD101AW	400	60	10	15		0,2	50	1	15	1	S1
SD101BW	400	50	10	15		0,2	40	0,95	15	1	S2
SD101CW	400	40	10	15		0,2	30	0,9	15	1	S3
SD103AW	400	40	100	350		5	30	0,6	200	10	S4
SD103BW	400	30	100	350		5	20	0,6	200	10	S5
SD103CW	400	20	100	350		5	10	0,6	200	10	S6

SOD-323 Pin


Тип/Параметры	Pd, mW	Vr, V	Ir, μ A	If, mA	Ir, μ A	Vr, V	Cd(pF)@1MHz			rd, Ohm	Маркировка
BAP50-03	200	50	10	50	0,1	50	0V	1V	5V	5	A81
							1,1	0,55	0,35		

SOD-323




Тип/Параметры	Pd, mW	Vr, V	Ir, μ A	Ifm, mA	Io, mA	Ir, μ A	Vr, V	Vf, V	If, mA	Trr, ns	Маркировка
1N4148WS	200	75	10	300	150	1	75	1,25	150	4	T4
1N4448WS	200	75	10	500	250	2,5	75	1,25	150	4	T5
1SS355	200	80	10	225	100	0,1	80	1,2	100	4	A
1SS357	200	40	10		100	5	40	0,6	100		S31
1SS358	200	80	10		225	0,1	80	1,2	250	4	ID
1SS380	200	28	10		100	0,015	20	1,2	100	4	6D
1SS404	200	20	100		300	50	20	0,45	300		S51
B0530WS	200	30	500		500	500	30	0,45	500		SE
B5817WS	200	20	1000		1000	1000	20	0,75	3000		SJ
B5818WS	200	30	1000		1000	1000	30	0,875	3000		SK
B5819WS	200	40	1000		1000	1000	40	0,9	3000		SL
BAS316	250	100	100		250	1	75	1,25	150	4	A6
BAS40WS	200	40	10	200		0,2	30	1	40	5	43
BAS516	200	75	100		250	1	75	1,25	150	4	61
BAS70WS	200	70	10	70		0,1	50	1	15	5	K73
BAT42WS	200	30	10	200		0,5	25	0,65	50	5	S7
BAT43WS	200	30	10	200		0,5	25	0,45	15	5	S8
BAT54WS	200	30	100	200	100	2	25	1	100	5	L9
BAT60B	350	10	500	3000		25	8	0,6	1000		W5
BAV16WS	200	75	10	300	150	1	75	1,25	150	4	T6
BAV19WS	200	100	10	400	200	0,1	100	1,25	200	50	A8
BAV20WS	200	150	10	400	200	0,1	150	1,25	200	50	T2
BAV21WS	200	200	10	400	200	0,1	200	1,25	200	50	T3
MA729	200	30	100		200	50	30	0,55	200	3	28
RB500V-40	200	40	1000		100	1	10	0,45	10		2
RB501V-40	200	40	100		100	30	10	0,55	100		4
RB551V-30	200	30	1000		500	100	20	0,47	500		D
RB751V-40	200	30	100		30	0,5	30	0,37	1		5
SD101AWS	200	60	10	15		0,2	50	1	15	1	S1
SD101BWS	200	50	10	15		0,2	40	0,95	15	1	S2
SD101CWS	200	40	10	15		0,2	30	0,9	15	1	S3
SD103AWS	200	40	10	350		5	30	0,6	200	10	S4
SD103BWS	200	30	10	350		5	20	0,6	200	10	S5
SD103CWS	200	20	10	350		5	10	0,6	200	10	S6
SD106WS	250	30	100		200	5	30	0,55	200		S21
SD107WS	250	30	100	100		1	25	0,8	100		S0

SOD-523



Тип/Параметры	Pd, mW	Vr, V	Ir, μ A	Io, mA	Ir, μ A	Vr, V	Vf, V	Ir, mA	Trr, ns	Маркировка
1SS387	150	80	100	100	0,5	80	1,2	100		G
1SS388	150	40	100	100	5	10	0,6	50		S3
1SS389	150	10	100	100	20	10	0,5	100		S4
1SS400	150	90	100	100	0,1	80	1,2	100	4	A
1SS422	150	85	100	150	0,1	85	1,2	150	4	6
BAS16X	150	75	100	200	1	75	1,25	150		A6
BASS16	200	75	100	250	1	75	1,25	150	4	61
BAT54X	150	30	10	200	2	25	0,6	100		JV
RB520S-30	150	30	100	200	1	10	0,8	200		B
RB521S-30	150	30	100	200	30	10	0,5	200		C
RB751S-40	150	40	100	30	0,5	30	0,37	1		5
SD103AX	150	40	100	350	5	30	0,6	200	10	S4

SOD-723




Тип/Параметры	Pd, mW	Vr, V	Ir, μ A	Io, mA	Ir, μ A	Vr, V	Vf, V	Ir, mA	Trr, ns	Маркировка
1SS400G	100	90	100	100	0,1	80	1,2	100	4	7
RB520G-30	100	30	100	100	0,5	10	0,45	10		E
RB521G-30	100	30	100	100	10	10	0,35	10		F
RB751G-40	150	40	100	30	0,5	30	0,37	1		5




Диоды

SOT-23



Тип\Параметры	Pd, mW	Vr, V	Ir, μ A	Io, mA	Ir, μ A	Vr, V	Vf, V	If, mA	Trr, ns	Маркировка
1SS181	150	80	100	100	0.5	80	1.2	100	4	A3
1SS184	150	80	100	100	0.5	80	1.2	100	4	B3
1SS187	150	80	100	100	0.5	80	1.2	100	4	D3
1SS190	150	80	100	100	0.5	80	1.2	100	4	E3
1SS193	150	80	100	100	0.5	80	1.2	100	4	F3
1SS196	150	80	100	100	0.5	80	1.2	100	4	G3
1SS226	150	80	100	100	0.5	80	1.2	100	4	C3
1SS344	200	20	10	500	100	20	0.55	500	20	H9
BAV170	250	75	100	125	0.005	75	1.25	150	3	JK
BAL99	225	70	100	100	2.5	70	1.25	150	6	JF
BAS1116	225	75	100	200	0.005	75	1.25	150	3000	JV
BAS16	225	75	100	200	1	75	1.25	150	6	A6
BAS19	200	120	100	200	0.1	100	1.25	200	50	JP
BAS21A	225	250	100	200	1	200	1.25	200	50	JS2
BAS21C	225	250	100	200	1	200	1.25	200	50	JS3
BAS21	225	250	100	200	1	200	1.25	200	50	JS
BAS21S	225	250	100	200	1	200	1.25	200	50	JS4
BAS40	225	40	100	200	0.2	30	1	40	5	43
BAS40-04	200	40	100	200	0.2	30	1	40	5	44
BAS40-05	200	40	100	200	0.2	30	1	40	5	45
BAS40-06	200	40	100	200	0.2	30	1	40	5	46
BAS70	200	70	10	70	0.12	50	1	15	5	73
BAS70-04	200	70	10	70	0.12	50	1	15	5	74
BAS70-05	200	70	10	70	0.12	50	1	15	5	75
BAS70-06	200	70	10	70	0.12	50	1	15	5	76
BAT34	150	30	10	100	2	25	1	100	5	LU3
BAT54	200	30	100	200	2	25	1	100	5	KL1
BAT54A	200	30	100	200	2	25	1	100	5	KL2
BAT54C	200	30	100	200	2	25	1	100	5	KL3
BAT54S	200	30	100	200	2	25	1	100	5	KL4
BAT720	350	40	100	500	100	35	0.55	500		LB1
BAT750	350	40	300	750	100	30	0.65	1500		K77
BAV199	225	70	100	215	5nA	70	1.25	150	3000	JY
BAV70	225	70	100	200	2.5	70	1.25	150	6	A4
BAV74	225	50	5	200	0.1	50	1	100	4	JA
BAV99	225	70	100	215	2.5	70	1.25	150	6	A7
BAW56	225	70	100	200	2.5	70	1.25	150	6	AI
CMPSH-3	350	30	100	100	0.5	25	1	100	5	DB5
CMPSH-3A	350	30	100	100	0.5	25	1	100	5	DB1
CMPSH-3C	350	30	100	100	0.5	25	1	100	5	DB2
CMPSH-3S	350	30	100	100	0.5	25	1	100	5	DAS
CM5D2004	250	240	100	225	0.1	240	1	100	50	B6D
DAN217	200	80	100	100	0.1	70	1.2	100		BA1
MC2836	150	50	100	300	0.1	50	1.2	100	4	A41
MC2838	150	50	100	300	0.1	50	1.2	100	3	A61
MMBD1501A	350	200	5	200	0.01	180	1.5	300		AI1
MMBD1503A	350	200	5	200	0.01	180	1.5	300		A13
MMBD1504A	350	200	5	200	0.01	180	1.5	300		A14
MMBD1505A	350	200	5	200	0.01	180	1.5	300		A15
MMBD4148	350	75	100	300	2.5	75	1.25	150	4	KA2
MMBD4148A	350	100	100	200	5	75	1	10	4	SH
MMBD4148CA	350	100	100	200	5	75	1	10	4	D6
MMBD4148CC	350	100	100	200	5	75	1	10	4	D6
MMBD4148SE	350	100	100	200	5	75	1	10	4	D4
MMBD7000	225	100	100	200	3	100	1.1	100	4	MEC
MMBD914LT1	225	75	100	200	2.5	75	1.25	150	4	5D
RB491D	200	25	1000		200	20	0.45	1000		D2E


SOT-323



Тип\Параметры	Pd, mW	Vr, V	Ir, μ A	Io, mA	Ir, μ A	Vr, V	Vf, V	If, mA	Trr, ns	Маркировка
1SS370	100	200	100	100	1	200	1.2	100	60+	F5
1SS372	100	10	100	100	20	10	0.5	100		N9
1SS401	100	20	100	300	50	20	0.45	300		D9
BAS16W	200	75	100	100	1	75	1.25	150	4	A2
BAS19W	200	100	100	200	0.1	100	1.25	200	50	KA8
BAS20W	200	150	100	200	0.1	150	1.25	200	50	KT2
BAS21W	200	200	100	200	0.1	200	1.25	200	50	KT3
BAS40W	200	40	10	200	0.2	30	1	40	5	43
BAS40W-04	200	40	10	200	0.2	30	1	40	5	44
BAS40W-05	200	40	10	200	0.2	30	1	40	5	45
BAS40W-06	200	40	10	200	0.2	30	1	40	5	46
BAS70W	200	70	10	70	0.1	50	1	15	5	K73
BAS70W-04	200	70	10	70	0.1	50	1	15	5	K74
BAS70W-05	200	70	10	70	0.1	50	1	15	5	K75
BAS70W-06	200	70	10	70	0.1	50	1	15	5	K76
BAT54AW	200	30	100	200	2	25	1	100	5	KL6
BAT54CW	200	30	100	200	2	25	1	100	5	KL7
BAT54SW	200	30	100	200	2	25	1	100	5	KL8
BAT54W	200	30	100	200	2	25	1	100	5	KL5
BAV70W	200	75	100	150	2.5	75	1.25	150	4	KJA
BAV99W	200	75	100	150	2.5	75	1.25	150	4	KJG
BAW56W	200	75	100	150	2.5	75	1.25	150	4	KJC
CM5D2004S	250	240	100	225	0.1	240	1	100	50	B6D
DA204U	200	20	100	100	0.1	15	1	10		K
DAN202U	200	80	100	100	0.1	70	1.2	100	4	N
DAN217U	200	80	100	100	0.2	70	1.2	100		A7
DAP202U	200	80	100	100	0.1	70	1.2	100	4	P
MMBD4148W	200	75	100	150	1	75	1.25	150	4	A2
MMBD4448W	200	75	10	250	2.5	75	1.25	150	4	KA3
RB461F	150	20	100	700	200	20	0.49	700		3B
RB706F-40	200	40	100	30	1	10	0.37	1		3J
RB715F	200	40	100	30	1	10	0.37	1		3D
RB717F	200	40	100	30	1	10	0.37	1		3E


Диоды

SOT-23-3L



Тип\Параметры	Pd, mW	Vr, V	Ir, μ A	I _o , mA	Ir, μ A	Vr, V	Vf, V	If, mA	Trr, ns	Маркировка
1N5817	300	20	1000	1000	1000	20	0,75	3000		SJ
1N5819	300	40	1000	1000	1000	40	0,9	3000		SL
CMSD2004S	250	300	100	225	0,1	240	1	100	50	B6D
RB400D	250	40	100	500	50	30	0,55	500		D3A
RB411D	250	20	100	500	30	10	0,5	500		D3E
RB420D	250	40	100	100	1	10	0,45	10		D3B
RB421D	250	40	100	100	30	10	0,34	10		D3C
RB425D	250	40	100	100	30	10	0,34	10		D3L
RB490	250	40	1000	1000	100	40	0,53	1000		D2D
RB491D	250	25	1000	1000	200	20	0,45	1000		D2E
RB495D	250	25	100	400	70	25	0,5	200		D3Q


SOT-523



Тип\Параметры	Pd, mW	Vr, V	Ir, μ A	I _{fm} , mA	I _o , mA	Ir, μ A	Vr, V	Vf, V	If, mA	Trr, ns	Маркировка
BAS16T	150	85	100	75		2	75	1,25	150		A2
BAS21T	150	250	100	400	200	0,1	250	1,25	200	50	T3
BAS40-04T	150	40	10	200		0,2	30	1	40	5	44
BAS40-05T	150	40	10	200		0,2	30	1	40	5	45
BAS40-06T	150	40	10	200		0,2	30	1	40	5	46
BAS40T	150	40	10	200		0,2	30	1	40	5	43
BAS70-04T	150	70	10	100	70	0,1	50	1	15	5	7D
BAS70-05T	150	70	10	100	70	0,1	50	1	15	5	7E
BAS70-06T	150	70	10	100	70	0,1	50	1	15	5	7F
BAS70T	150	70	10	100	70	0,1	50	1	15	5	7C
BAT54AT	150	30	100	300	200	2	25	1	100	5	L2
BAT54CT	150	30	100	300	200	2	25	1	100	5	L3
BAT54ST	150	30	100	300	200	2	25	1	100	5	L4
BAT54T	150	30	100	300	200	2	25	1	100	5	LI
BAV70T	150	85	100	75		2	75	1,25	150		JJ
BAV9T	150	85	100	75		2	75	1	150		JE
BAW56T	150	85	100	75		2	75	1,25	150		JD
DA221	150	20	100		100	0,1	15	1	10		K
DAN222	150	80		300	100	0,1	70	1,2	100	4	N
DAP222	150	80		300	100	0,1	70	1,2	100	4	P
MMBD4448HT	150	75	10	500	250	2,5	75	1,25	150	4	A3
MMBD4448HTA	150	75	10	500	250	2,5	75	1,25	150	4	A6
MMBD4448HTC	150	75	10	500	250	2,5	75	1,25	150	4	A7
MMBD4448HTS	150	75	10	500	250	2,5	75	1,25	150	4	AB
RB548W	150	30		500	100	0,5	10	0,45	10		3V
RB715W	150	40			30	1	10	0,37	1		3D

Диодные сборки


SOT-563



Тип\Параметры	Pd, mW	Vr, V	Ir, μ A	I _o , mA	Vr, V	Vr, V	Vf, V	If, mA	Trr, ns	Маркировка
BAS16V	150	75	100	200	1	75	1,25	150	4	KAM
BAS40V	150	40	10	200	0	230	1	40	5	KAN
BAT54V	150	30	100	200	2	25	1	100	5	KAV
MMBD4448V	150	80	2,5	250	0,1	70	1,25	150	4	KAL

Диоды Шоттки

TO-220




Тип\Параметры	Pd, W	цоколевка	Vr, V	I _{fm} , A	I _o , A	Ir, mA	Vr, V	Vf, V	If, A	Cj, pF
MBR10100CT	2	ACA	100	100	10	0,1	100	0,85	5	300
MBR1030CT*	2	ACA	30	125	10	0,1	30	0,7	5	150
MBR1035CT*	2	ACA	35	125	10	0,1	35	0,7	5	150
MBR1040CT*	2	ACA	40	125	10	0,1	40	0,7	5	150
MBR1045CT*	2	ACA	45	125	10	0,1	45	0,7	5	150
MBR1050CT*	2	ACA	50	125	10	0,1	50	0,8	5	150
MBR1060CT*	2	ACA	60	125	10	0,1	60	0,8	5	150
MBR1530CT*	2	ACA	30	150	15	0,1	30	0,7	7,5	300
MBR1535CT*	2	ACA	35	150	15	0,1	35	0,7	7,5	300
MBR1540CT*	2	ACA	40	150	15	0,1	40	0,7	7,5	300
MBR1545CT*	2	ACA	45	150	15	0,1	45	0,7	7,5	300
MBR1550CT*	2	ACA	50	150	15	1,0	50	0,75	7,5	300
MBR1560CT*	2	ACA	60	150	15	1,0	60	0,75	7,5	300
MBR2030CT*	2	ACA	30	150	20	0,1	30	0,7	10	660
MBR2035CT*	2	ACA	35	150	20	0,1	35	0,7	10	660
MBR2040CT	2	ACA	40	150	20	0,1	40	0,7	10	660
MBR2045CT*	2	ACA	45	150	20	0,1	45	0,7	10	660
MBR2050CT*	2	ACA	50	150	20	0,1	50	0,8	10	660
MBR2060CT	2	ACA	60	150	20	0,1	60	0,8	10	660
MBR2070CT*	2	ACA	70	150	20	0,15	70	0,85	10	1000
MBR2080CT*	2	ACA	80	150	20	0,15	80	0,85	10	1000
MBR2090CT*	2	ACA	90	150	20	0,15	90	0,85	10	1000
MBR2100CT	2	ACA	100	150	20	0,15	100	0,85	10	1000
MBR2150CT	2	ACA	150	150	20	0,1	150	0,9	10	
MBR2200CT	2	ACA	200	150	20	0,1	200	0,9	10	
SBL2030CT*	2	ACA	30	150	20	0,45	30	0,55	10	
SBL2035CT*	2	ACA	35	150	20	0,45	35	0,55	10	
SBL2040CT	2	ACA	40	150	20	0,45	40	0,55	10	
SBL2050CT*	2	ACA	50	150	20	0,45	50	0,7	10	
SBL2060CT	2	ACA	60	150	20	0,45	60	0,7	10	
SBL3040CT	2	ACA	40	150	30	1	40	0,55	15	



Диоды Шоттки

TO-220A




Тип\Параметры	Pd, W	цоколевка	Vr, V	Io, A	Ir, mA	Vr, V	Vf, V	If, A	Cj, pF
MBR10100	2	CA	100	10	0,1	100	0,8	10	
MBR10150	2	CA	150	10	0,2	150	1	10	
MBR10200	2	CA	200	10	0,2	200	0,95	10	
MBR1040	2	CA	40	10	0,1	40	0,7	10	
SBL1040	2	CA	40	10	0,45	40	0,55	10	
SBL1060	2	CA	60	10	0,45	60	0,7	10	
SBL1540	2	CA	40	15	0,45	40	0,55	15	

Стабилитроны

Тип	Корпус	Pd, mW	Напряжение стабилизации, В				Макс.импеданс, Ом			Макс.обратныйток		Прямое напряжение Vf, V If, mA	Маркировка
			Vz@Izt			Izt, mA	Zzt@Izt	Zkz@Izk	Lzk	Ir, μA	@Vr, V		
BZT52C2V4	SOD-123	500	2,4	2,20	2,60	5	100	600	1	50	1,0	0,9 10	WK
BZT52C2V7	SOD-123	500	2,7	2,50	2,90	5	100	600	1	20	1,0	0,9 10	W1
BZT52C3V0	SOD-123	500	3,0	2,80	3,20	5	95	600	1	10	1,0	0,9 10	W2
BZT52C3V3	SOD-123	500	3,3	3,10	3,50	5	95	600	1	5	1,0	0,9 10	W3
BZT52C3V6	SOD-123	500	3,6	3,40	3,80	5	90	600	1	5	1,0	0,9 10	W4
BZT52C3V9	SOD-123	500	3,9	3,70	4,10	5	90	600	1	3	1,0	0,9 10	W5
BZT52C4V3	SOD-123	500	4,3	4,00	4,60	5	90	600	1	3	1,0	0,9 10	W6
BZT52C4V7	SOD-123	500	4,7	4,40	5,00	5	80	500	1	3	2,0	0,9 10	W7
BZT52C5V1	SOD-123	500	5,1	4,80	5,40	5	60	480	1	2	2,0	0,9 10	W8
BZT52C5V6	SOD-123	500	5,6	5,20	6,00	5	40	400	1	1	2,0	0,9 10	W9
BZT52C6V2	SOD-123	500	6,2	5,80	6,60	5	10	150	1	3	4,0	0,9 10	WA
BZT52C6V8	SOD-123	500	6,8	6,40	7,20	5	15	80	1	2	4,0	0,9 10	WB
BZT52C7V5	SOD-123	500	7,5	7,00	7,90	5	15	80	1	1	5,0	0,9 10	WC
BZT52C8V2	SOD-123	500	8,2	7,70	8,70	5	15	80	1	0,7	5,0	0,9 10	WD
BZT52C9V1	SOD-123	500	9,1	8,50	9,60	5	15	100	1	0,5	6,0	0,9 10	WE
BZT52C10	SOD-123	500	10	9,40	10,60	5	20	150	1	0,2	7,0	0,9 10	WF
BZT52C11	SOD-123	500	11	10,40	11,60	5	20	150	1	0,1	8,0	0,9 10	WG
BZT52C12	SOD-123	500	12	11,40	12,70	5	25	150	1	0,1	8,0	0,9 10	WH
BZT52C13	SOD-123	500	13	12,40	14,10	5	30	170	1	0,1	8,0	0,9 10	WI
BZT52C15	SOD-123	500	15	13,80	15,60	5	30	200	1	0,1	10,5	0,9 10	WU
BZT52C16	SOD-123	500	16	15,30	17,10	5	40	200	1	0,1	11,2	0,9 10	WK
BZT52C18	SOD-123	500	18	16,80	19,10	5	45	225	1	0,1	12,6	0,9 10	WL
BZT52C20	SOD-123	500	20	18,80	21,20	5	55	225	1	0,1	14,0	0,9 10	WM
BZT52C22	SOD-123	500	22	20,80	23,30	5	55	250	1	0,1	15,4	0,9 10	WN
BZT52C24	SOD-123	500	24	22,80	25,60	5	70	250	1	0,1	16,8	0,9 10	WO
BZT52C27	SOD-123	500	27	25,10	28,90	2	80	300	0,5	0,1	18,9	0,9 10	WP
BZT52C30	SOD-123	500	30	28,00	32,00	2	80	300	0,5	0,1	21,0	0,9 10	WQ
BZT52C33	SOD-123	500	33	31,00	35,00	2	80	325	0,5	0,1	23,1	0,9 10	WR
BZT52C36	SOD-123	500	36	34,00	38,00	2	90	350	0,5	0,1	25,2	0,9 10	ws
BZT52C39	SOD-123	500	39	37,00	41,00	2	130	350	0,5	0,1	27,3	0,9 10	WT
MMSZ5221B	SOD-123	500	2,4	2,28	2,52	20	30	1200	0,25	100	1,0	0,9 10	C1
MMSZ5223B	SOD-123	500	2,7	2,57	2,84	20	30	1300	0,25	75	1,0	0,9 10	C3
MMSZ5225B	SOD-123	500	3,0	2,85	3,15	20	30	1600	0,25	50	1,0	0,9 10	C5
MMSZ5226B	SOD-123	500	3,3	3,14	3,47	20	28	1600	0,25	25	1,0	0,9 10	G2
MMSZ5227B	SOD-123	500	3,6	3,42	3,78	20	24	1700	0,25	15	1,0	0,9 10	G2
MMSZ5228B	SOD-123	500	3,9	3,71	4,10	20	23	1900	0,25	10	1,0	0,9 10	G3
MMSZ5229B	SOD-123	500	4,3	4,09	4,52	20	22	2000	0,25	5	1,0	0,9 10	G4
MMSZ5230B	SOD-123	500	4,7	4,47	4,94	20	19	1900	0,25	5	2,0	0,9 10	G5
MMSZ5231B	SOD-123	500	5,1	4,85	5,36	20	17	1600	0,25	5	2,0	0,9 10	E1
MMSZ5232B	SOD-123	500	5,6	5,32	5,88	20	11	1600	0,25	5	3,0	0,9 10	E2
MMSZ5233B	SOD-123	500	6,0	5,70	6,30	20	7	1600	0,25	5	3,5	0,9 10	E3
MMSZ5234B	SOD-123	500	6,2	5,89	6,51	20	7	1000	0,25	5	4,0	0,9 10	E4
MMSZ5235B	SOD-123	500	6,8	6,46	7,14	20	5	750	0,25	3	5,0	0,9 10	E5
MMSZ5236B	SOD-123	500	7,5	7,13	7,88	20	6	500	0,25	3	6,0	0,9 10	F1
MMSZ5237B	SOD-123	500	8,2	7,79	8,61	20	8	500	0,25	3	6,5	0,9 10	F2
MMSZ5238B	SOD-123	500	8,7	8,27	9,14	20	8	600	0,25	3	6,5	0,9 10	F3
MMSZ5239B	SOD-123	500	9,1	8,65	9,56	20	10	600	0,25	3	7,0	0,9 10	F4
MMSZ5240B	SOD-123	500	10	9,50	10,50	20	17	600	0,25	3	8,0	0,9 10	F5
MMSZ5241B	SOD-123	500	11	10,45	11,55	20	22	600	0,25	2	8,4	0,9 10	H1
MMSZ5242B	SOD-123	500	12	11,40	12,60	20	30	600	0,25	1	9,1	0,9 10	H2
MMSZ5243B	SOD-123	500	13	12,35	13,65	9,5	13	600	0,25	0,5	9,9	0,9 10	H3
MMSZ5245B	SOD-123	500	15	14,25	15,75	8,5	16	600	0,25	0,1	11,0	0,9 10	H5
MMSZ5246B	SOD-123	500	16	15,20	16,80	7,8	17	600	0,25	0,1	12,0	0,9 10	J1
MMSZ5248B	SOD-123	500	18	17,10	18,90	7,0	21	600	0,25	0,1	14,0	0,9 10	J3
MMSZ5250B	SOD-123	500	20	19,00	21,00	6,2	25	600	0,25	0,1	15,0	0,9 10	J5
MMSZ5251B	SOD-123	500	22	20,90	23,10	5,6	29	600	0,25	0,1	17,0	0,9 10	K1
MMSZ5252B	SOD-123	500	24	22,80	25,20	5,2	33	600	0,25	0,1	18,0	0,9 10	K2
MMSZ5254B	SOD-123	500	27	25,65	28,35	5,0	41	600	0,25	0,1	21,0	0,9 10	K4
MMSZ5255B	SOD-123	500	28	26,60	29,40	4,5	44	600	0,25	0,1	21,0	0,9 10	K5
MMSZ5256B	SOD-123	500	30	28,50	31,50	4,2	49	600	0,25	0,1	23,0	0,9 10	M1
MMSZ5257B	SOD-123	500	33	31,35	34,65	3,8	58	700	0,25	0,1	25,0	0,9 10	M2
MMSZ5258B	SOD-123	500	36	34,20	37,80	3,4	70	700	0,25	0,1	27,0	0,9 10	M3
MMSZ5259B	SOD-123	500	39	37,05	40,95	3,2	80	800	0,25	0,1	30,0	0,9 10	M4
MMSZ5260B	SOD-123	500	43	40,85	41,15	3,0	93	900	0,25	0,1	33,0	0,9 10	M5
BZT52C2V4S	SOD-323	200	2,4	2,20	2,60	5	100	600	1	50	1,0	0,9 10	WK
BZT52C2V7S	SOD-323	200	2,7	2,50	2,90	5	100	600	1	20	1,0	0,9 10	W1
BZT52C3V0S	SOD-323	200	3,0	2,80	3,20	5	95	600	1	10	1,0	0,9 10	W2
BZT52C3V3S	SOD-323	200	3,3	3,10	3,50	5	95	600	1	5	1,0	0,9 10	W3
BZT52C3V6S	SOD-323	200	3,6	3,40	3,80	5	90	600	1	5	1,0	0,9 10	W4
BZT52C3V9S	SOD-323	200	3,9	3,70	4,10	5	90	600	1	3	1,0	0,9 10	W5
BZT52C4V3S	SOD-323	200	4,3	4,00	4,60	5	90	600	1	3	1,0	0,9 10	W6
BZT52C4V7S	SOD-323	200	4,7	4,40	5,00	5	80	500	1	3	2,0	0,9 10	W7
BZT52C5V1S	SOD-323	200	5,1	4,80	5,40	5	60	480	1	2	2,0	0,9 10	W8

SOD-123



SOD-323







Стабилитроны

Тип	Корпус	Pd, mW	Напряжение стабилизации, В			Макс. импеданс, Ом			Макс. обратный ток		Прямое напряжение Vf, V IF, mA	Маркировка
			Vz@Izt			Zzt@Izt	Zkz@Lzk	Lzk	Ir μA	@Vr V		
			Nom	Min	Max	Izt, mA						
BZT52C5V6S	SOD-323	200	5,6	5,20	6,00	5	40	400	1	1	2,0	W9
BZT52C6V2S	SOD-323	200	6,2	5,80	6,60	5	10	150	1	3	4,0	WA
BZT52C6V6S	SOD-323	200	6,8	6,40	7,20	5	15	80	1	2	4,0	WB
BZT52C7V5S	SOD-323	200	7,5	7,00	7,90	5	15	80	1	1	5,0	WE
BZT52C8V2S	SOD-323	200	8,2	7,70	8,70	5	15	80	1	0,7	5,0	WD
BZT52C9V1S	SOD-323	200	9,1	8,50	9,60	5	15	100	1	0,5	6,0	WE
BZT52C10S	SOD-323	200	10	9,40	10,60	5	20	150	1	0,2	7,0	WF
BZT52C11S	SOD-323	200	11	10,40	11,60	5	20	150	1	0,1	8,0	WG
BZT52C12S	SOD-323	200	12	11,40	12,70	5	25	150	1	0,1	8,0	WH
BZT52C13S	SOD-323	200	13	12,40	14,10	5	30	170	1	0,1	8,0	WI
BZT52C15S	SOD-323	200	15	13,80	15,60	5	30	200	1	0,1	10,5	WJ
BZT52C16S	SOD-323	200	16	15,30	17,10	5	40	200	1	0,1	11,2	WK
BZT52C18S	SOD-323	200	18	16,80	19,10	5	45	225	1	0,1	12,6	WL
BZT52C20S	SOD-323	200	20	18,80	21,20	5	55	225	1	0,1	14,0	WM
BZT52C22S	SOD-323	200	22	20,80	23,30	5	55	250	1	0,1	15,4	WN
BZT52C24S	SOD-323	200	24	22,80	25,60	5	70	250	1	0,1	16,8	WO
BZT52C27S	SOD-323	200	27	25,10	28,90	2	80	300	0,5	0,1	18,9	WP
BZT52C30S	SOD-323	200	30	28,00	32,00	2	80	300	0,5	0,1	21,0	WQ
BZT52C33S	SOD-323	200	33	31,00	35,00	2	80	325	0,5	0,1	23,1	WR
BZT52C36S	SOD-323	200	36	34,00	38,00	2	90	350	0,5	0,1	25,2	WS
BZT52C39S	SOD-323	200	39	37,00	41,00	2	130	350	0,5	0,1	27,3	WT
MMS25Z211BS	SOD-323	200	2,4	2,28	2,52	20	30	1200	0,25	100	1,0	C1
MMS25Z228BS	SOD-323	200	2,7	2,57	2,84	20	30	1300	0,25	75	1,0	C3
MMS25Z258BS	SOD-323	200	3,0	2,85	3,15	20	30	1600	0,25	50	1,0	C5
MMS25Z268BS	SOD-323	200	3,3	3,14	3,47	20	28	1600	0,25	25	1,0	G1
MMS25Z277BS	SOD-323	200	3,6	3,42	3,78	20	24	1700	0,25	15	1,0	G2
MMS25Z288BS	SOD-323	200	3,9	3,71	4,10	20	23	1900	0,25	10	1,0	G3
MMS25Z298BS	SOD-323	200	4,3	4,09	4,52	20	22	2000	0,25	5	1,0	G4
MMS25Z308BS	SOD-323	200	4,7	4,47	4,94	20	19	1900	0,25	5	2,0	G5
MMS25Z31BS	SOD-323	200	5,1	4,85	5,36	20	17	1600	0,25	5	2,0	E1
MMS25Z328BS	SOD-323	200	5,6	5,32	5,88	20	11	1600	0,25	5	3,0	E2
MMS25Z338BS	SOD-323	200	6,0	5,70	6,30	20	7	1600	0,25	5	3,5	E3
MMS25Z348BS	SOD-323	200	6,2	5,89	6,51	20	7	1000	0,25	5	4,0	E4
MMS25Z358BS	SOD-323	200	6,8	6,46	7,14	20	5	750	0,25	3	5,0	E5
MMS25Z368BS	SOD-323	200	7,5	7,13	7,88	20	6	500	0,25	3	6,0	F1
MMS25Z378BS	SOD-323	200	8,2	7,79	8,61	20	8	500	0,25	3	6,5	F2
MMS25Z388BS	SOD-323	200	8,7	8,27	9,14	20	8	600	0,25	3	6,5	F3
MMS25Z398BS	SOD-323	200	9,1	8,65	9,56	20	10	600	0,25	3	7,0	F4
MMS25Z408BS	SOD-323	200	10	9,50	10,50	20	17	600	0,25	3	8,0	F5
MMS25Z41BS	SOD-323	200	11	10,45	11,55	20	22	600	0,25	2	8,4	H1
MMS25Z428BS	SOD-323	200	12	11,40	12,60	20	30	600	0,25	1	9,1	H2
MMS25Z438BS	SOD-323	200	13	12,35	13,65	9,5	13	600	0,25	0,5	9,9	H3
MMS25Z458BS	SOD-323	200	15	14,25	15,75	8,5	16	600	0,25	0,1	11,0	H5
MMS25Z468BS	SOD-323	200	16	15,20	16,80	7,8	17	600	0,25	0,1	12,0	J1
MMS25Z488BS	SOD-323	200	18	17,10	18,90	7,0	21	600	0,25	0,1	14,0	J3
MMS25Z508BS	SOD-323	200	20	19,00	21,00	6,2	25	600	0,25	0,1	15,0	J5
MMS25Z51BS	SOD-323	200	22	20,90	23,10	5,6	29	600	0,25	0,1	17,0	K1
MMS25Z528BS	SOD-323	200	24	22,80	25,20	5,2	33	600	0,25	0,1	18,0	K2
MMS25Z548BS	SOD-323	200	27	25,65	28,35	5,0	41	600	0,25	0,1	21,0	K4
MMS25Z558BS	SOD-323	200	28	26,60	29,40	4,5	44	600	0,25	0,1	21,0	K5
MMS25Z568BS	SOD-323	200	30	28,50	31,50	4,2	49	600	0,25	0,1	23,0	M1
MMS25Z578BS	SOD-323	200	33	31,35	34,65	3,8	58	700	0,25	0,1	25,0	M2
MMS25Z588BS	SOD-323	200	36	34,20	37,80	3,4	70	700	0,25	0,1	27,0	M3
MMS25Z598BS	SOD-323	200	39	37,05	40,95	3,2	80	800	0,25	0,1	30,0	M4
MMS25Z608BS	SOD-323	200	43	40,85	41,15	3,0	93	900	0,25	0,1	33,0	M5
BZX84C2V4	SOT-23	350	2,4	2,20	2,60	5	100	600	1	50	1,0	Z11
BZX84C2V7	SOT-23	350	2,7	2,50	2,90	5	100	600	1	20	1,0	Z12
BZX84C3V0	SOT-23	350	3,0	2,80	3,20	5	95	600	1	10	1,0	Z13
BZX84C3V3	SOT-23	350	3,3	3,10	3,50	5	95	600	1	5	1,0	Z14
BZX84C3V6	SOT-23	350	3,6	3,40	3,80	5	90	600	1	5	1,0	Z15
BZX84C3V9	SOT-23	350	3,9	3,7	4,10	5	90	600	1	3	1,0	Z16
BZX84C4V3	SOT-23	350	4,3	4,00	4,60	5	90	600	1	3	1,0	Z17
BZX84C4V7	SOT-23	350	4,7	4,40	5,00	5	80	500	1	3	2,0	Z1
BZX84C5V1	SOT-23	350	5,1	4,80	5,40	5	60	480	1	2	2,0	Z2
BZX84C5V6	SOT-23	350	5,6	5,20	6,00	5	40	400	1	1	2,0	Z3
BZX84C6V2	SOT-23	350	6,2	5,80	6,60	5	10	150	1	3	4,0	Z4
BZX84C6V8	SOT-23	350	6,8	6,40	7,20	5	15	80	1	2	4,0	Z5
BZX84C7V5	SOT-23	350	7,5	7,00	7,90	5	15	80	1	1	5,0	Z6
BZX84C8V2	SOT-23	350	8,2	7,70	8,70	5	15	80	1	0,7	5,0	Z7
BZX84C9V1	SOT-23	350	9,1	8,50	9,60	5	15	100	1	0,5	6,0	Z8
BZX84C10	SOT-23	350	10	9,40	10,60	5	20	150	1	0,2	7,0	Z9
BZX84C11	SOT-23	350	11	10,40	11,60	5	20	150	1	0,1	8,0	Y1
BZX84C12	SOT-23	350	12	11,40	12,70	5	25	150	1	0,1	8,0	Y2
BZX84C13	SOT-23	350	13	12,40	14,10	5	30	170	1	0,1	8,0	Y3
BZX84C15	SOT-23	350	15	13,80	15,60	5	30	200	1	0,1	10,5	Y4
BZX84C16	SOT-23	350	16	15,30	17,10	5	40	200	1	0,1	11,2	Y5
BZX84C18	SOT-23	350	18	16,80	19,10	5	45	225	1	0,1	12,6	Y6
BZX84C20	SOT-23	350	20	18,80	21,20	5	55	225	1	0,1	14,0	Y7
BZX84C22	SOT-23	350	22	20,80	23,30	5	55	250	1	0,1	15,4	Y8
BZX84C24	SOT-23	350	24	22,80	25,60	5	70	250	1	0,1	16,8	Y9
BZX84C27	SOT-23	350	27	25,10	28,90	2	80	300	0,5	0,1	18,9	Y10
BZX84C30	SOT-23	350	30	28,00	32,00	2	80	300	0,5	0,1	21,0	Y11
BZX84C33	SOT-23	350	33	31,00	35,00	2	80	325	0,5	0,1	23,1	Y12
BZX84C36	SOT-23	350	36	34,00	38,00	2	90	350	0,5	0,1	25,2	Y13
BZX84C39	SOT-23	350	39	37,00	41,00	2	130	350	0,5	0,1	27,3	Y14
MMBZ52Z11B	SOT-23	350	2,4	2,28	2,52	20	30	1200	0,25	100	1,0	KC1
MMBZ52Z22B	SOT-23	350	2,5	2,38	2,63	20	30	1250	0,25	100	1,0	KC2
MMBZ52Z23B	SOT-23	350	2,7	2,57	2,84	20	30	1300	0,25	75	1,0	KC3
MMBZ52Z25B	SOT-23	350	3,0	2,85	3,15	20	30	1600	0,25	50	1,0	KC5
MMBZ52Z26B	SOT-23	350	3,3	3,14	3,47	20	28	1600	0,25	25	1,0	KG1
MMBZ52Z27B	SOT-23	350	3,6	3,42	3,78	20	24	1700	0,25	15	1,0	KG2
MMBZ52Z28B	SOT-23	350	3,9	3,71	4,10	20	23	1900	0,25	10	1,0	KG3
MMBZ52Z29B	SOT-23	350	4,3	4,09	4,52	20	22	2000	0,25	5	1,0	KG4

SOD-323



SOT-23






Стабилитроны

Тип	Корпус	Pd, mW	Напряжение стабилизации, В			Макс. импеданс, Ом			Макс. обратный ток		Прямое напряжение Vf, V IF, mA	Маркировка
			Vz@Izt			Zzt@Izt	Zkz@Izk	Lzk	Ir μA	@Vr V		
			Nom	Min	Max	Izt, mA						
MMBZ5230B	SOT-23	350	4,7	4,47	4,94	20	19	1900	0,25	5	2,0	KG5
MMBZ5231B	SOT-23	350	5,1	4,85	5,36	20	17	1600	0,25	5	2,0	KE1
MMBZ5232B	SOT-23	350	5,6	5,32	5,88	20	11	1600	0,25	5	3,0	KE2
MMBZ5233B	SOT-23	350	6	5,70	6,30	20	7	1600	0,25	5	3,5	KE3
MMBZ5234B	SOT-23	350	6,2	5,89	6,51	20	7	1000	0,25	5	4,0	KE4
MMBZ5235B	SOT-23	350	6,8	6,46	7,14	20	5	750	0,25	3	5,0	KE5
MMBZ5236B	SOT-23	350	7,5	7,13	7,88	20	6	500	0,25	3	6,0	KF1
MMBZ5237B	SOT-23	350	8,2	7,79	8,61	20	8	500	0,25	3	6,5	KF2
MMBZ5238B	SOT-23	350	9,1	8,65	9,56	20	10	600	0,25	3	7,0	KF4
MMBZ5240B	SOT-23	350	10	9,50	10,50	20	17	600	0,25	3	8,0	KF5
MMBZ5241B	SOT-23	350	11	10,45	11,55	20	22	600	0,25	2	8,4	KH1
MMBZ5242B	SOT-23	350	12	11,40	12,60	20	30	600	0,25	1	9,1	KH2
MMBZ5243B	SOT-23	350	13	12,35	13,65	9,5	13	600	0,25	0,5	9,9	KH3
MMBZ5245B	SOT-23	350	15	14,25	15,75	8,5	16	600	0,25	0,1	11,0	KH5
MMBZ5246B	SOT-23	350	16	15,20	16,80	7,8	17	600	0,25	0,1	12,0	KJ1
MMBZ5248B	SOT-23	350	18	17,10	18,90	7,0	21	600	0,25	0,1	14,0	KJ3
MMBZ5250B	SOT-23	350	20	19,00	21,00	6,2	25	600	0,25	0,1	15,0	KJ5
MMBZ5251B	SOT-23	350	22	20,90	23,10	5,6	29	600	0,25	0,1	17,0	KK1
MMBZ5252B	SOT-23	350	24	22,80	25,20	5,2	33	600	0,25	0,1	18,0	KK2
MMBZ5254B	SOT-23	350	27	25,65	28,35	5,0	41	600	0,25	0,1	21,0	KK4
MMBZ5256B	SOT-23	350	28	26,60	29,40	4,5	44	600	0,25	0,1	21,0	KK5
MMBZ5258B	SOT-23	350	30	28,50	31,50	4,2	49	600	0,25	0,1	23,0	KM1
MMBZ5257B	SOT-23	350	33	31,35	34,65	3,8	58	700	0,25	0,1	25,0	KM2
MMBZ5258B	SOT-23	350	36	34,20	37,80	3,4	70	700	0,25	0,1	27,0	KM3
MMBZ5259B	SOT-23	350	39	37,05	40,95	3,2	80	800	0,25	0,1	30,0	KM4
BZX84C24W	SOT-323	200	2,4	2,20	2,60	5	100	600	1	50	1,0	KRB
BZX84C27W	SOT-323	200	2,7	2,50	2,90	5	100	600	1	20	1,0	KRC
BZX84C30W	SOT-323	200	3,0	2,80	3,20	5	95	600	1	20	1,0	KRD
BZX84C33W	SOT-323	200	3,3	3,10	3,50	5	95	600	1	5	1,0	KRE
BZX84C36W	SOT-323	200	3,6	3,40	3,80	5	90	600	1	5	1,0	KRF
BZX84C39W	SOT-323	200	3,9	3,70	4,10	5	90	600	1	3	1,0	KRG
BZX84C43W	SOT-323	200	4,3	4,00	4,60	5	90	600	1	3	1,0	KRH
BZX84C47W	SOT-323	200	4,7	4,40	5,00	5	80	600	1	3	2,0	KR1
BZX84C51W	SOT-323	200	5,1	4,80	5,40	5	60	500	1	2	2,0	KR2
BZX84C56W	SOT-323	200	5,6	5,20	6,00	5	40	480	1	1	2,0	KR3
BZX84C62W	SOT-323	200	6,2	5,80	6,60	5	10	400	1	3	4,0	KR4
BZX84C68W	SOT-323	200	6,8	6,40	7,20	5	15	150	1	2	4,0	KR5
BZX84C75W	SOT-323	200	7,5	7,00	7,90	5	15	80	1	1	5,0	KR6
BZX84C82W	SOT-323	200	8,2	7,70	8,70	5	15	80	1	0,7	5,0	KR7
BZX84C91W	SOT-323	200	9,1	8,50	9,60	5	15	80	1	0,5	6,0	KR8
BZX84C10W	SOT-323	200	10	9,40	10,60	5	20	100	1	0,2	7,0	KR9
BZX84C11W	SOT-323	200	11	10,40	11,60	5	20	150	1	0,1	8,0	KP1
BZX84C12W	SOT-323	200	12	11,40	12,70	5	25	150	1	0,1	8,0	KP2
BZX84C13W	SOT-323	200	13	12,40	14,10	5	30	150	1	0,1	8,0	KP3
BZX84C19W	SOT-323	200	15	13,80	15,60	5	30	170	1	0,1	10,5	KP4
BZX84C16W	SOT-323	200	16	15,30	17,10	5	40	200	1	0,1	11,2	KP5
BZX84C18W	SOT-323	200	18	16,80	19,10	5	45	200	1	0,1	12,6	KP6
BZX84C20W	SOT-323	200	20	18,80	21,20	5	55	225	1	0,1	14,0	KP7
BZX84C22W	SOT-323	200	22	20,80	23,30	5	55	225	1	0,1	15,4	KP8
BZX84C24W	SOT-323	200	24	22,80	25,60	5	70	250	1	0,1	16,8	KP9
BZX84C27W	SOT-323	200	27	25,10	28,90	2	80	250	0,5	0,1	18,9	KPA
BZX84C30W	SOT-323	200	30	28,00	32,00	2	80	300	0,5	0,1	21,0	KPB
BZX84C33W	SOT-323	200	33	31,00	35,00	2	80	300	0,5	0,1	23,1	KPC
BZX84C36W	SOT-323	200	36	34,00	38,00	2	90	325	0,5	0,1	25,2	KPD
BZX84C39W	SOT-323	200	39	37,00	41,00	2	130	350	0,5	0,1	27,3	KPE
MMBZ5221BW	SOT-323	200	2,4	2,28	2,52	20	30	1200	0,25	100	1,0	KC1
MMBZ5223BW	SOT-323	200	2,7	2,57	2,84	20	30	1300	0,25	75	1,0	KC3
MMBZ5225BW	SOT-323	200	3,0	2,85	3,15	20	30	1600	0,25	50	1,0	KC5
MMBZ5226BW	SOT-323	200	3,3	3,14	3,47	20	28	1600	0,25	25	1,0	KG1
MMBZ5227BW	SOT-323	200	3,6	3,42	3,78	20	24	1700	0,25	15	1,0	KG2
MMBZ5228BW	SOT-323	200	3,9	3,71	4,10	20	23	1900	0,25	10	1,0	KG3
MMBZ5229BW	SOT-323	200	4,3	4,09	4,52	20	22	2000	0,25	5	1,0	KG4
MMBZ5230BW	SOT-323	200	4,7	4,47	4,94	20	19	1900	0,25	5	2,0	KG5
MMBZ5231BW	SOT-323	200	5,1	4,85	5,36	20	17	1600	0,25	5	2,0	KE1
MMBZ5232BW	SOT-323	200	5,6	5,32	5,88	20	11	1600	0,25	5	3,0	KE2
MMBZ5234BW	SOT-323	200	6,2	5,89	6,51	20	7	1000	0,25	5	4,0	KE4
MMBZ5235BW	SOT-323	200	6,8	6,46	7,14	20	5	750	0,25	3	5,0	KE5
MMBZ5236BW	SOT-323	200	7,5	7,13	7,88	20	6	500	0,25	3	6,0	KF1
MMBZ5237BW	SOT-323	200	8,2	7,79	8,61	20	8	500	0,25	3	6,5	KF2
MMBZ5238BW	SOT-323	200	9,1	8,65	9,56	20	10	600	0,25	3	7,0	KF4
MMBZ5240BW	SOT-323	200	10	9,50	10,50	20	17	600	0,25	3	8,0	KF5
MMBZ5241BW	SOT-323	200	11	10,45	11,55	20	22	600	0,25	2	8,4	KH1
MMBZ5242BW	SOT-323	200	12	11,40	12,60	20	30	600	0,25	1	9,1	KH2
MMBZ5243BW	SOT-323	200	13	12,35	13,65	9,5	13	600	0,25	0,5	9,9	KH3
MMBZ5245BW	SOT-323	200	15	14,25	15,75	8,5	16	600	0,25	0,1	11,0	KH5
MMBZ5246BW	SOT-323	200	16	15,20	16,80	7,8	17	600	0,25	0,1	12,0	KJ1
MMBZ5248BW	SOT-323	200	18	17,10	18,90	7,0	21	600	0,25	0,1	14,0	KJ3
MMBZ5250BW	SOT-323	200	20	19,00	21,00	6,2	25	600	0,25	0,1	15,0	KJ5
MMBZ5251BW	SOT-323	200	22	20,90	23,10	5,6	29	600	0,25	0,1	17,0	KK1
MMBZ5252BW	SOT-323	200	24	22,80	25,20	5,2	33	600	0,25	0,1	18,0	KK2
MMBZ5254BW	SOT-323	200	27	25,65	28,35	5,0	41	600	0,25	0,1	21,0	KK4
MMBZ5256BW	SOT-323	200	28	26,60	29,40	4,5	44	600	0,25	0,1	21,0	KK5
MMBZ5258BW	SOT-323	200	30	28,50	31,50	4,2	49	600	0,25	0,1	23,0	KM1
MMBZ5257BW	SOT-323	200	33	31,35	34,65	3,8	58	700	0,25	0,1	25,0	KM2
MMBZ5258BW	SOT-323	200	36	34,20	37,80	3,4	70	700	0,25	0,1	27,0	KM3
MMBZ5259BW	SOT-323	200	39	37,05	40,95	3,2	80	800	0,25	0,1	30,0	KM4

SOT-23



SOT-323

